

# PRODUCT CATALOG



*Better Mobility Solutions*

SUZHOU SWEETRICH VEHICLE INDUSTRY TECHNOLOGY CO., LTD.

No.68 Xinfu Road  
Suzhou Industrial Park  
SuZhou, China, 215123

info@sweetrich.cn  
0086 - 512 - 82283873  
0086 - 512 - 82283868



**SWEETRICH**



# S Series

The S series mobility scooter delivers high-performance operation and easy disassembly for convenience on the go. It provides you extremely driving experience. Enjoy your perfect lifestyle.



Long lasting travel distance per charge



Speed up to 4.9mph



265lbs Weight capacity



Range 10Miles



Climbing 8°

dynamic™

ACHIEVE AMAZING EVERY DAY.



Restaurant



Bank



Supermarket



Transportation



Shopping mall



# Mobility scooter

## Travel Scooters



S1 Lite



S1 Sport



S1 Plus



Max Sport



Max Plus



SW1000F



SW1000L

<b>Dimensions(L×W×H)</b>	980×525×920mm	1110×525×920mm	1110×525×920mm	1110×525×920mm	1110×525×920mm	1000×525×920mm	1000×520×920mm
<b>Max Forward Speed</b>	8km/h(5mi/h)	8km/h(5mi/h)	8km/h(5mi/h)	8km/h(5mi/h)	8km/h(5mi/h)	8km/h(5mi/h)	8km/h(5mi/h)
<b>Max Driving Gradient</b>	8°	10°	12°	10°	12°	10°	10°
<b>Max Driving Range</b>	15-25km(9.5-15.5miles)	15-25km(9.5-15.5miles)	15-25km(9.5-15.5miles)	15-25km(9.5-15.5miles)	15-25km(9.5-15.5miles)	15-25km(9.5-15.5miles)	15-25km(9.5-15.5miles)
<b>Weight Capacity</b>	120kg(265lbs)	136kg(300lbs)	136kg(300lbs)	120kg(265lbs)	120kg(265lbs)	136kg(300lbs)	136kg(300lbs)
<b>Suspensions</b>	/	Rear	Rear	Rear	Rear	/	Rear
<b>Tire Sizes</b>	9"x2.5"(Front) 9"x3"(Rear)	9"x3"(Front) 9"x3"(Rear)	9"x3"(Front) 9"x3"(Rear)	9"x3"(Front) 9"x3"(Rear)	9"x3"(Front) 9"x3"(Rear)	7"x2.5"(Front) 8"x3"(Rear)	8"x2.5"(Front) 9"x3"(Rear)
<b>Brake System</b>	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake
<b>Batteries</b>	Lead-acid 12V12AH*2pcs (20Ah optional)	Lead-acid 12V12AH*2pcs (20Ah optional)	Lead-acid 12V12AH*2pcs (20Ah optional)	Lead-acid 12V12AH*2pcs (20Ah optional)	Lead-acid 12V12AH*2pcs (20Ah optional)	Lithium 24V/20AH	Lead-acid 12V12AH*2pcs (20Ah optional)
<b>Charger</b>	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V
<b>Charging Time</b>	6h	6h	6h	6h	6h	8-10h	6-8h
<b>Motor</b>	24V/250W	24V/300W	24V/300W	24V/300W	24V/300W	24V/270W(Taiwan)	24V/300W
<b>Motor Controller</b>	24V/50A	24V/50A(Dynamic)	24V/50A(Dynamic)	24V/50A(Dynamic)	24V/50A(Dynamic)	24V/50A(PG)	24V/50A(Dynamic)
<b>Weight w/o battery</b>	33kg	33kg	34kg	35kg	36kg	32kg	31kg

# Mobility scooter

## Medium Scooters



S20



S25

## Heavy Duty Scooters



S50



S70

<b>Dimensions(L×W×H)</b>	1280×650×990mm	1280×650×1300mm	1210×640×1300mm	1460×730×1320mm
<b>Max Forward Speed</b>	12km/H(7.5mi/h)	12km/H(7.5mi/h)	15km/h(9.3mi/h)	15km/h(9.3mi/h)
<b>Max Driving Gradient</b>	12°	12°	12°	12°
<b>Max Driving Range</b>	30±5km(18.5±3miles)	30±5km(18.5±3miles)	50km(18.5±3miles)	45-75km(28-46.5miles)
<b>Weight Capacity</b>	140kg(350lbs)	182kg(400lbs)	205kg(450lbs)	205kg(450lbs)
<b>Suspensions</b>	/	Front&Rear	Front&Rear	Front&Rear
<b>Tire Sizes</b>	10"x3.5"(Front) 10"x3.5"(Rear)	10"x3.5"(Front) 10"x3.5"(Rear)	12"x3.5"(Front) 12"x3.5"(Rear)	13"x5"(Front) 13"x5"(Rear)
<b>Brake System</b>	Electromagnetic Brake	Electromagnetic Brake & Hand Brake	Electromagnetic Brake	Electromagnetic Brake
<b>Batteries</b>	Lead-acid 12V38AH*2pcs (52Ah optional)	Lead-acid 12V38AH*2pcs (52Ah optional)	Lead-acid 12V52AH*2pcs	Lead-acid 12V52AH*2pcs (75Ah/80Ah optional)
<b>Charger</b>	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V
<b>Charging Time</b>	8-10h	8-10h	6-8h	8-10h
<b>Motor</b>	24V/400W	24V/500W	24V/800W	24V/800W
<b>Motor Controller</b>	24V/70A(Dynamic)	24V/90A(Dynamic)	24V/120A(Dynamic)	24V/140A(Dynamic)
<b>Weight w/o battery</b>	79kg	79kg	69kg	97kg

## S20



### Features

- Comfortable seat with headrest
- Flip-up and adjustable armrests
- Detachable front basket
- Stylish and classic appearance
- Multi-feature digital dash/LCD display with easy read user controls
- Speeds up to 12km/h (8mph)
- Comfort-trac front and rear suspensions
- Optional captain seat



Clear control panel



Tire size 10"x3.5"



Reserved bolt for accessories



Large legroom

### Features

- Hydraulic gas spring adjustability
- Clear and simple control panel
- Hand brake
- Headlight and turning light
- Seat can be adjusted armrest width & front and rear
- Big size pneumatic tire
- Suspensions & anti-tip wheels
- Large legrest room
- Leather liked cushion seat



## S25



Clear control panel



Leather liked cushion seat



Tire size 10"x3.5"



Large legrest room



# SWEETRICH

Enjoy your perfect lifestyle.



## S50



### Features

- Adjustable tiller to offer best posture
- Large sized pneumatic tires: Front 12" Rear 13"
- Creative solar panel
- Convenient charging port
- Front and rear suspension
- Directional lights, Front and rear LED
- High performance motor
- Enhanced 150kg(330lbs.) weight capacity
- Speeds up to 15km/h (9.4mph)
- Includes Cup Holder located in the tiller
- Comfort-trac front and rear suspension
- Optional rear storage pod
- Optional battery up to 50AH



Clear and simple control panel



Full suspension



Tire size 12"x3.5"

## S70



Upgraded version



Clear control panel



Full suspensions



13" and 15" pneumatic tires



Exceptional large legroom

### Features

- Ultra-comfortable seating
- Multi-feature digital dash/LCD display with easy readuser controls
- Full suspension for optimum handling
- Exceptional leg room
- 13" and 15" Pneumatic tyres
- Enhanced 180kg(400lbs.) weight capacity
- Speeds up to 15km/h (9.4mph)
- Storage and Cup Holder located in the tiller
- Optional scooter Sun Canopy
- Optional rear Storage pod
- Optional battery up to 80AH







## 3 Wheels Scooter



S32



S33

### S32

#### Features

- Bluetooth speaker available
- Bright headlight and rear view mirrors for safety
- Removable Lead-acid battery
- Comfortable seat with adjustable backrest and headrest



Adjustable backrest  
with headrest



Handle bar with brake oil



Tire size 16"x13"



Control panel



Bright headlight

<b>Dimensions(L×W×H)</b>	1495(L)×660(W)×1100(H)mm	1830(L)×750(W)×1350(H)mm
<b>Max Forward Speed</b>	15km/h	23km/h
<b>Max Driving Gradient</b>	12°	12°
<b>Max Driving Range</b>	35±5km	30-40km
<b>Weight Capacity</b>	150kg	155kg
<b>Suspensions</b>	Front&Rear	Front&Rear
<b>Tire Sizes</b>	16"(Front) 13"(Rear)	23"(Front) 23"(Rear)
<b>Brake System</b>	Front: Disc Rear: Electromagnetic	Electromagnetic Brake
<b>Batteries</b>	Lead-acid 24V38AH/50AH*2pcs	Lead-acid 24V80AH*2pcs
<b>Charger</b>	DC24V5A AC115-230V	DC24V8A AC115-230V
<b>Charging Time</b>	6-8h	6-8h
<b>Motor</b>	800W	1500W
<b>Motor Controller</b>	24V/90A	24V/200A
<b>Weight w/o battery</b>	75kg	148kg

# Power Wheelchair

## Portable Power Wheelchair

## Heavy Duty Wheelchair



iFold Light



iFold / iFold Plus



iPower Classic



iPower Sport



iPower GT/GTS



iPower GTS Plus



iPower Sport FWD



iPower Sport MWD

<b>Dimensions(L×W×H)</b>	970(L)*560(W)*870(H)mm	1090(L)*605(W)*998(H)mm	1050(L)×670(W)×940(H)mm	980(L)×600(W)×1180(H)mm	1045(L)×625(W)×1080(H)mm	1045(L)×625(W)×1080(H)mm	980(L)×600(W)×1180(H)mm	1000(L)×670(W)×1200(H)mm
<b>Max Forward Speed</b>	6km/h	6km/h	8km/h	8km/h	8km/h	8km/h	8km/h	8km/h
<b>Max Driving Gradient</b>	6°	10°	10°	10°	10°	10°	10°	10°
<b>Max Driving Range</b>	20±4km	30±5km	25±5km	35±5km	35±5km	35±5km	35±5km	40±5km
<b>Weight Capacity</b>	120kg(265lbs)	120kg(265lbs)	120kg(265lbs)	120kg(265lbs)	136kg(300lbs)	136kg(300lbs)	120kg(265lbs)	150kg(330lbs)
<b>Suspensions</b>	/	Front&Rear	/	Rear	Rear	Rear	Front	Middle
<b>Tire Sizes</b>	7"(Front) 8"(Rear)	8"(Front) 10"(Rear)	8"x2.5"(Front) 14"x3"(Rear)	8"x2.5"(Front) 14"x3"(Rear)	10"x3"(Front) 14"x3"(Rear)	10"x3"(Front) 14"x3"(Rear)	14"x3"(Front) 8"x2.5"(Rear)	13"x2.5"(Middle) 8"x3"(Front) 8"x3"(Rear)
<b>Brake System</b>	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake
<b>Batteries</b>	Lithium 24V/6AH,12AH	Lithium 24V/10.2AH,20AH	Lead-acid 12V35AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs
<b>Charger</b>	24V/2A	DC24V2A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V
<b>Charging Time</b>	3-6h	5h	6-8h	6-8h	6-8h	6-8h	6-8h	10-12h
<b>Motor</b>	24V/250W*2pcs	24V/250W*2pcs	24V/320W*2pcs(Taiwan)	24V/320W*2pcs(Taiwan)	24V/450W*2pcs(Taiwan)	24V/450W*2pcs(Taiwan)	24V/320W*2pcs(Taiwan)	24V/300W*2pcs(Taiwan)
<b>Motor Controller</b>	24V/45A	24V/50A	24V/50A(PG from UK)	24V/50A(PG from UK)	24V/50A(PG ,Dynamic)	24V/50A(PG ,Dynamic)	24V/50A(PG from UK)	24V/50A(PG from UK)
<b>Weight w/o battery</b>	19kg	24kg	45kg	56kg	59kg	59kg	56kg	51kg



# SWEETRICH

## Power wheelchair

*Making Daily Life Better*



## iFold Light

Your best choice of travel power wheelchair. This compact chair folds in just a second, you can take it to all your favourite locations with your family, or you can enjoy greater independence.

### Features

- Folds in just a second for effortless transport
- A light weight and portable solution, only 19 kg
- Under seat storage
- Speeds up to 10km/h (6mph)
- Compact size for easy storage
- Solid tyres



Adjustable backrest



Turn-over controller

**ONLY 19 KG**

L:55cm W:27cm H:75cm



Small folding body



Detach lithium battery



Joystick





## Portable Power wheelchair

Sweetrich designed new folding power wheelchair. This compact power chair easy to move after folded and offers convenient storage and has front and signal light. Battery(10.2Ah) are available to carry on in the cabin. You can take your chair, enjoy your perfect life.



Side reflector



Safety lock



Large foot platform



Solid tyres



Joystick



## iFold

### Features

- **Fold and unfold in 1 second**
- Speeds up to 8.5km per hour (5.2mph)
- Large foot platform
- Easy to move after folded
- Joystick available for both sides use
- Optional battery, up to 30Ah to reach more distance



## iFold Plus

### Features

- **Folding automatically**
- Speeds up to 8.5km per hour (5.2mph)
- Large foot platform
- Easy to move after folded
- Joystick available for both sides use
- Front light available
- High performance and high efficiency motor
- Under seat storage bag for convenience
- Optional battery, up to 30Ah to reach more distance



Remote control

Folding automatically



Signal light on each side



Convenient battery pack



Front light



Solid tyres

Flip-up armrests



Flip-up foot pedal



Joystick



# iPower GTS Plus

## Features

- Outdoor performance
- Adjustable seat width
- Adjustable armrests height
- High performance and high efficiently motor package (Total 700 watts)
- Enhanced 136 kg (300 lbs) weight capacity
- 10" big front wheel, 14" pneumatic tyres
- Joystick available for both sides use
- Optional swing-away controller mount
- Optional light package
- Optional in powertilt an lift system(soon)



Available in different position of backrest



Joystick



Signal light on each side

Convenient battery pack

Front light

Foot platform

# iPower GTS

## Features


- Outdoor performance
- Adjustable seat width
- Adjustable armrests height
- High performance and high efficiently motor package (Total 700 watts)
- Enhanced 136 kg (300 lbs) weight capacity
- 10" big front wheel, 14" pneumatic tyres
- Joystick available for both sides use
- Optional swing-away controller mount
- Optional light package
- Optional in powertilt an lift system(soon)



Adjustable armrests

Available in different position of backrest

Optional light packages with Convenient USB charger port



Joystick